



**MARYLAND DEPARTMENT OF THE ENVIRONMENT**

1800 Washington Boulevard • Baltimore MD 21230

410-537-3000 • 1-800-633-6101

Martin O'Malley  
Governor

Shari T. Wilson  
Secretary

Anthony G. Brown  
Lieutenant Governor

Robert M. Summers, Ph.D.  
Deputy Secretary

April 28, 2010

Mr. Benjamin Orlando  
Lloyd Trust Properties  
Po Box 230  
Jarrettsville MD 21084

RE: Tracking Number: 2010-45011  
Request Received April 15, 2010

PROPERTY - 963 PULASKI HIGHWAY

Dear Mr. Orlando:

The Maryland Department of the Environment (MDE) received your recent request for information under the Public Information Act (PIA).

The documents you requested, as a result of your recent file review are enclosed.

You will be invoiced separately for all applicable search, review, duplication, and postage charges

The invoice for all applicable search, review, duplication, and postage charges is enclosed

No charges were incurred

When requesting information regarding this request, please cite the tracking number referenced above. If you have any questions, please call me at (410) 537-3422.

Sincerely,

Maria Stephens  
PIA Liaison  
Land Management Administration





**MARYLAND DEPARTMENT OF THE ENVIRONMENT**

1800 Washington Boulevard • Baltimore MD 21230

410-537-3000 • 1-800-633-6101

Martin O'Malley  
Governor

Anthony G. Brown  
Lieutenant Governor

Shari T. Wilson  
Secretary

Robert M. Summers, Ph.D.  
Deputy Secretary

April 26, 2010

Mr. Benjamin Orlando  
Lloyd Trust Properties  
Po Box 230  
Jarrettsville MD 21084

RE: Tracking Number: 2010-45011  
Request Received April 15, 2010

PROPERTY - 963 PULASKI HIGHWAY

Dear Mr. Orlando:

The Maryland Department of the Environment (MDE) received your recent request for information under the Public Information Act (PIA).

The Land Management Administration has information and data available on the site(s) listed above. Please call me to schedule an appointment for file review or to arrange for photocopies of all releasable materials. You will be invoiced for all applicable search, review, duplication and postage charges. It is requested that you make arrangements to review available files within 30 days of receipt of this letter. After 30 days your request will be closed and it will be necessary to file a new request.

When requesting information regarding this request, please cite the tracking number referenced above. If you have any questions, please call me at (410) 537-3422.

Sincerely,

Maria Stephens  
PIA Liaison  
Land Management Administration

*Oil Control program - 410 537 3442*



**MARYLAND DEPARTMENT OF THE ENVIRONMENT**  
1800 Washington Boulevard, Suite 620 • Baltimore Maryland 21230-1719  
(410) 537-3442 • 1-800-633-6101 • [http:// www. mde. state. md. us](http://www.mde.state.md.us)

**WASTE MANAGEMENT ADMINISTRATION**  
Oil Control Program  
**Report of Observations**

Case # CS-0927HA

Type of Inspection/Observations: Spill Followup

Date: 2/2/09

Site/Facility Name: Lenny's Paving

Facility ID # \_\_\_\_\_

Location: 963 Pulaski Hwy Havre de Grace

Page # 1 of 1

Remarks: \_\_\_\_\_

I visited the above facility to investigate the status of the contaminated soil stockpiled on site. The facility is closed permanently and no one was present. A pile of soil and gravel was seen in the parking lot. No AST could be found on the property. The soil pile did not have any staining or odor. Photographs were taken of the soil pile and the facility. To date, no disposal documentation has been received for the facility.

Observer: \_\_\_\_\_

*[Signature]*

Person Interviewed: \_\_\_\_\_



## Case Closure Requirement Checklist

To: File

From: ~~Jackie Ryan~~ Josh Roach

Date: 2/10/09

Case No. or Fac. ID: 06-0927HA

- 
- Purge all extra paper/reports (one of everything)
  - Place in chronological order (back to front) / (first to last).
  - All data secured in the file folder. Photo's are labeled and in an envelope.
  - File folder has a label or clearly printed case number, case name and address on the file tab.
  - 30-day notification present in file for tank removals or FRI for spill response
  - Requested data for each requirement(s) have been received (sample results, disposal receipts, etc.) and are in the file.  
*no disposal receipts*
  - Provide a summary sheet if necessary to explain/justify why data may not be present or how compliance was achieved.
  - Place a copy of the facility registration summary for all USTs (if applicable) in the file.
  - A case chronology is present in the front of the file (Chronology can be brief)  
Example: MM/DD/YY - Two 10,000 UST's removed  
\_\_\_\_ tons of petroleum contaminated soil removed  
Potable well sampled and results \_\_\_\_\_  
NOV-00000 issued required UST removal. Actions completed  
Etc.....
  - Leak Summary Page (completely filled out)

# SUPERVISOR CLOSURE REVIEW

Case No. 2006-0927HA | Date: 2/19/09

Release detected? Yes  No

Comment: AG Diesel release from AST. Appears to have been a minimal amount impacting soils.

FEDERAL (UST Motor/Lube/Bulk)	Code	STATE (UST Heating Oil/All AST)	Code	<input checked="" type="checkbox"/>
Color Coding	C10	Aboveground Tank Leak	A5a/A5b	
Compliance Inspections	C11	Dumping	A4/A4e	
Ground Seep Investigation	B6	Open Water	A1/A1a,b,e	
Inventory	C5	Permit Inspections	A6	
New Installation	C1	New Installation	C2a/C2b	
Overfill Protection	C10	Transfer Accident	A3/A3a,b,e	
Registration	C4	Registration	C4a/C4b	
Release Detection	C9	Vehicle Accident	A2/A2e	
Retrofit/Repair	C7	Retrofit/Repair	C8a/C8b	
Soil Contamination	B7	Soil Contamination	B7a/B7b	
Surface Spill Originating from UST	B11	Surface Spill Originating from UST	B11a/B11b	
Tank Removal/Abandonment	B8	Tank Removal/Abandonment	B9a/B9b	
Tank Test Failure	B1	Tank Test Failure	B2a/B2b	
Tank Truck Driver Attendance	C6	Tank Truck Driver Attendance	C6a/C6b	
Vapor Problem	B5	Vapor Problem	B5a/B5b	
Well/Groundwater Contamination	B3	Well/Groundwater Contamination	B4a/B4b	
Cathodic Protection	C13	Unknown Source/Surface Spill	A7	
Compliance Testing	C14	Other	B10a/B10b	
Third Party Inspection Field Review	C16	Other	A8	<input checked="" type="checkbox"/>
Other	B10	Other - Emergency	A8e	
		Cathodic Protection - Commercial Heating Oil	C13b	
		Compliance Testing - Heating Oil	C14a	

a = Residential Heating Oil      b - Commercial Heating Oil      e = Emergency

Agree to close? Yes  No

Residual petroleum contamination may remain on site. However, based on available data, it appears this contamination poses no threat to human health or the environment.

- Inspector's findings complete
- Site poses no risk
- Other

Reference/Support: Approximately 3 tons of OCS were excavated. On 2/2/09 the OCS were not on site and the business is permanently closed.

Signature: Ross Kelly      Date: 2/19/09  
No water supply well on site.

# LEAK SUMMARY & TANK CLOSURE

Case No.: 06-0927HA

Date Opened: 3-31-06

Date Closed: 2/19/09

Type of Case:

- A. Pull \_\_\_\_\_
- B. Installation \_\_\_\_\_
- C. Surface ✓
- D. Leak Investigation \_\_\_\_\_
- E. Compliance Check \_\_\_\_\_
- F. Tank Test Failure \_\_\_\_\_
- G. Abandonment-in-Place \_\_\_\_\_
- H. Other \_\_\_\_\_

\*\*\*\*\*

Spill Affected:

- A. Groundwater \_\_\_\_\_
- B. Domestic Wells \_\_\_\_\_
- C. Surface Waters \_\_\_\_\_
- D. A Building \_\_\_\_\_
- E. Storm Drain \_\_\_\_\_
- F. Sanitary Line \_\_\_\_\_
- G. Utility Work or Lines \_\_\_\_\_
- H. Reached Adjoining Property \_\_\_\_\_
- I. None/Other (Specify) \_\_\_\_\_
- J. Soils ✓

\*\*\*\*\*

Owner of System:

- A. Major Oil Company \_\_\_\_\_
- B. Local Oil Company \_\_\_\_\_
- C. Private Owner/ Service Station \_\_\_\_\_
- D. Government Facility \_\_\_\_\_
- E. Marina \_\_\_\_\_
- F. Private Residence \_\_\_\_\_
- G. Apartment \_\_\_\_\_
- H. School \_\_\_\_\_
- I. Commercial Business ✓
- J. Other (Specify) \_\_\_\_\_

\*\*\*\*\*

Observation wells installed?     Yes ✓ No      No. of Wells    

Domestic or supply well on site?     Yes ✓ No      Impacted?     Yes     No     Unknown

Has UST registration been amended? ✓ Yes     No      Has UST registration been terminated?    

If under "Type of Case" Item B, C, or E is checked, do not fill in chart below.

	Tank Capacity	Tank Type	Line Type	Age	Product	Tank Status	Leak Found
<del>1</del>	<del>500 (AST)</del>	<del>A</del>	<del>A</del>		<del>K</del>	<del>B</del>	<del>H</del>
2							
3							
4							
5							
6							
7							
8							
9							
10							

✓ Residual petroleum contamination may remain on site. However, based on available data, it appears this contamination poses no threat to human health or the environment.

✓ Release? YES ✓ NO          Cleanup Initiated? YES ✓ NO          DAF Code: AB

Reviewed by: RJR

Date: 2/19/09

**MARYLAND DEPARTMENT OF THE ENVIRONMENT**

1800 Washington Boulevard, Suite 620 • Baltimore Maryland 21230-1719

(410) 537-3442 • 1-800-633-6101 • http:// www. mde. state. md. us

**WASTE MANAGEMENT ADMINISTRATION**

**Oil Control Program**

**Report of Observations**

Case # 06-0927HA

Type of Inspection/Observations: Spill Followup Date: 2/2/09

Site/Facility Name: Lennys Paving Facility ID # \_\_\_\_\_

Location: 963 Pulaski Hwy Havre de Grace Page # 1 of 1

Remarks: \_\_\_\_\_

I visited the above facility to investigate the status of the contaminated soil stockpiled on site. The Facility is closed permanently and no one was present. A pile of soil and gravel was seen in the parking lot. No AST could be found on the property. The soil pile did not have any staining or odor. Photographs were taken of the soil pile and the facility. To date, no disposal documentation has been received for the facility.

Observer: [Signature] Person Interviewed: \_\_\_\_\_

**VI. DESCRIPTION OF UNDERGROUND STORAGE TANKS (Complete for each tank at this location.)**

Tank Identification No. (e.g., ABC-123), or Arbitrarily Assigned Sequential Number (e.g., 1,2,3...)	Tank No. 1	Tank No. 2	Tank No. 3	Tank No. 4	Tank No. 5
<b>1. Status of Tank</b> (Mark all that apply <input checked="" type="checkbox"/> ) Currently in Use <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Temporarily Out of Use <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Permanently Out of Use <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Brought into Use after 5/8/86 <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>2. Estimated Age (Years)</b>	21	21	21	21	21
<b>3. Estimated Total Capacity (Gallons)</b>	4000	4000	4000	4000	4000
<b>4. Material of Construction</b> (Mark one <input checked="" type="checkbox"/> ) Steel <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Concrete <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Fiberglass Reinforced Plastic <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Unknown <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Other, Please Specify _____	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>5. Internal Protection</b> (Mark all that apply <input checked="" type="checkbox"/> ) Cathodic Protection <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Interior Lining (e.g., epoxy resins) <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> None <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Unknown <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Other, Please Specify _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>6. External Protection</b> (Mark all that apply <input checked="" type="checkbox"/> ) Cathodic Protection <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Painted (e.g., asphaltic) <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Fiberglass Reinforced Plastic Coated <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> None <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Unknown <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Other, Please Specify _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>7. Piping</b> (Mark all that apply <input checked="" type="checkbox"/> ) Bare Steel <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Galvanized Steel <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Fiberglass Reinforced Plastic <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Cathodically Protected <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Unknown <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Other, Please Specify _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>8. Substance Currently or Last Stored in Greatest Quantity by Volume</b> (Mark all that apply <input checked="" type="checkbox"/> ) a. Empty <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> b. Petroleum <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Diesel <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Kerosene <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Gasoline (including alcohol blends) <input type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> Used Oil <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Other, Please Specify _____ c. Hazardous Substance <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Please Indicate Name of Principal CERCLA Substance OR Chemical Abstract Service (CAS) No. Mark box <input checked="" type="checkbox"/> if tank stores a mixture of substances <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> d. Unknown <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<b>9. Additional Information (for tanks permanently taken out of service)</b> a. Estimated date last used (mo/yr) <u>3 / 80</u> <u>3 / 80</u> <u>/</u> <u>3 / 80</u> <u>3 / 80</u> b. Estimated quantity of substance remaining (gal.) <u>none</u> <u>none</u> <u>2500</u> <u>none</u> <u>none</u> c. Mark box <input checked="" type="checkbox"/> if tank was filled with inert material (e.g., sand, concrete) <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<u>3 / 80</u>	<u>3 / 80</u>	<u>/</u>	<u>3 / 80</u>	<u>3 / 80</u>



Abandoned

# Notification for Underground Storage Tanks

FORM APPROVED  
OMB NO. 2050-0049  
APPROVAL EXPIRES 6-30-88

RECEIVED

STATE USE ONLY

I.D. Number 3-007350

APR 22 1986

Date Received

## GENERAL INFORMATION

Notification is required by Federal law for all underground tanks that have been used to store regulated substances since January 1, 1974, that are in the ground as of May 8, 1986, or that are brought into use after May 8, 1986. The information requested is required by Section 9002 of the Resource Conservation and Recovery Act (RCRA), as amended.

The primary purpose of this notification program is to locate and evaluate underground tanks that store or have stored petroleum or hazardous substances. It is expected that the information you provide will be based on reasonably available records, or, in the absence of such records, your knowledge, belief, or recollection.

**Who Must Notify?** Section 9002 of RCRA, as amended, requires that, unless exempted, owners of underground tanks that store regulated substances must notify designated State or local agencies of the existence of their tanks. Owner means:

(a) in the case of an underground storage in use on November 8, 1984, or brought into use after that date, any person who owns an underground storage tank used for the storage, use, or dispensing of regulated substances, and

(b) in the case of any underground storage tank in use before November 8, 1984, but no longer in use on that date, any person who owned such tank immediately before the discontinuation of its use.

**What Tanks Are Included?** Underground storage tank is defined as any one or combination of tanks that (1) is used to contain an accumulation of "regulated substances," and (2) whose volume (including connected underground piping) is 10% or more beneath the ground. Some examples are underground tanks storing: 1. gasoline, used oil, or diesel fuel, and 2. industrial solvents, pesticides, herbicides or fumigants.

**What Tanks Are Excluded?** Tanks removed from the ground are not subject to notification. Other tanks excluded from notification are:

1. farm or residential tanks of 1,100 gallons or less capacity used for storing motor fuel for noncommercial purposes;
2. tanks used for storing heating oil for consumptive use on the premises where stores;
3. septic tanks;

4. pipeline facilities (including gathering lines) regulated under the Natural Gas Pipeline Safety Act of 1968, or the Hazardous Liquid Pipeline Safety Act of 1979, or which is an intrastate pipeline facility regulated under State laws;
5. surface impoundments, pits, ponds, or lagoons;
6. storm water or waste water collection systems;
7. flow-through process tanks;
8. liquid traps or associated gathering lines directly related to oil or gas production and gathering operations;
9. storage tanks situated in an underground area (such as a basement, cellar, mineworking, drift, shaft, or tunnel) if the storage tank is situated upon or above the surface of the floor.

**What Substances Are Covered?** The notification requirements apply to underground storage tanks that contain regulated substances. This includes any substance defined as hazardous in section 101 (14) of the Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA), with the exception of those substances regulated as hazardous waste under Subtitle C of RCRA. It also includes petroleum, e.g., crude oil or any fraction thereof which is liquid at standard conditions of temperature and pressure (60 degrees Fahrenheit and 14.7 pounds per square inch absolute).

**Where To Notify?** Completed notification forms should be sent to the address given at the top of this page.

**When To Notify?** 1. Owners of underground storage tanks in use or that have been taken out of operation after January 1, 1974, but still in the ground, must notify by May 8, 1986. 2. Owners who bring underground storage tanks into use after May 8, 1986, must notify within 30 days of bringing the tanks into use.

**Penalties:** Any owner who knowingly fails to notify or submits false information shall be subject to a civil penalty not to exceed \$10,000 for each tank for which notification is not given or for which false information is submitted.

## INSTRUCTIONS

Please type or print in ink all items except "signature" in Section V. This form must be completed for each location containing underground storage tanks. If more than 5 tanks are owned at this location, photocopy the reverse side, and staple continuation sheets to this form.

Indicate number of continuation sheets attached

### I. OWNERSHIP OF TANK(S)

Owner Name (Corporation, Individual, Public Agency, or Other Entity)

Herman N Thomas

Street Address

606 Robin Hood Road

County

Harford

City State ZIP Code

Havre de Grace, Md 21078

Area Code Phone Number

301 939-3726 or 301 939-3585

Type of Owner (Mark all that apply)

- Current  State or Local Gov't  Private or Corporate
- Former  Federal Gov't (GSA facility I.D. no.)  Ownership uncertain

### II. LOCATION OF TANK(S)

(If same as Section I, mark box here )

Facility Name or Company Site Identifier, as applicable

MCK Trucking Co

Street Address or State Road, as applicable

963 Pulaski Highway

County

Harford

City (nearest) State ZIP Code

Havre de Grace, Md 21078

Indicate number of tanks at this location

Mark box here if tank(s) are located on land within an Indian reservation or on other Indian trust land

### III. CONTACT PERSON AT TANK LOCATION

Name (If same as Section I, mark box here )

Job Title

Area Code

Phone Number

### IV. TYPE OF NOTIFICATION

Mark box here only if this is amended or subsequent notification for this location.

### V. CERTIFICATION (Read and sign after completing Section VI.)

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete.

Name and official title of owner or owner's authorized representative

Herman N Thomas

Signature

Herman N Thomas

Date Signed

21 April 1986

CONTINUE ON REVERSE SIDE



PLEASE REMIT TO:

P. O. BOX 490

ABERDEEN, MARYLAND 21001

PHONE

(301) 272-8300

BALTIMORE LINE: 575-6576

ELKTON LINE: 287-5922

INVOICE 34672

Mr. Thomas

Havre de Grace

CONTRACT NUMBER	ORDER NUMBER	DATE	INVOICE NUMBER
	9999999999999999	1/12/87	34672
	9999999999999999	99/99/99	9999999999999999
QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
14.00	Tons Sand 1/12/87	12.00	168.00
12.00	Tons Sand 1/12/87	14.00	168.00
14.00	Tons Sand 1/12/87	14.00	196.00
12.00	Tons Sand 12/19/86	12.00	144.00
12.00	Tons Sand 12/19/86	12.00	144.00
	Sales Tax		39.60
			<u>831.60</u>

*pd 13 Jan 87  
CK 135  
MNB Browth*

PAID ARE DUE THE 10th OF THE MONTH FOLLOWING THE DATE OF PURCHASE. BALANCES WHICH REMAIN UNPAID BEYOND 30 DAYS ARE SUBJECT TO A CHARGE OF 1 1/2% PER MONTH (OR A MINIMUM OF \$1.00) WHICH IS AN ANNUAL PERCENTAGE RATE OF 18%.



State of Maryland  
 Department of the Environment  
 Hazardous and Solid Waste Management Administration  
 2500 Broening Highway, Baltimore, Maryland 21224

HA

CASE # 3-007350

Report of Observations

Type of Inspection/Observation : Tank Registration Date 5/21/92

Facility Name : Bennett's Truck Repair (Formerly MCK Trucking)

Remarks : 963 Pulaski Hwy, Haver de Grace

This inspector visited the subject facility to check on the registered tanks which were reported abandoned in place in 1986 and 1987. Inspection of the fills reveals they are filled with sand to the caps.

This Administration requires the following:

- 1.) Remove the 5 vents to grade and cap the underground lines.
- 2.) File an amended tank registration form with this Administration.  
Copy of blank form left on site

TIME IN :

TIME OUT :

Observer : msj

Person Interviewed : Gregory L Bennett

Subj: **963 polaski hwy**  
Date: 7/21/2011 2:56:39 P.M. Eastern Daylight Time  
From: [vpg78@aol.com](mailto:vpg78@aol.com)  
To: [CMR7000@aol.com](mailto:CMR7000@aol.com)

are there tanks in the ground and are there any environmental problems??? Thanks Vinnie green.

## Facility Summary for Facility ID #14303

**Owner Name and Address:** Herman N. Thomas  
606 Robin Hood Road Havre De Grace, MD 21078 **Owner Type:** Not Listed

Facility ID	County	Location Name	Location Street Address	Location City	Zip
14303	Harford	MCK Trucking Co.	963 Pulaski Highway	Havre De Grace	21078

Tank ID	Date Installed	Product	Tank Mat'l of Construction	Piping Material	Tank Release Detection	CP	RD	FR
Status	Age (yr)	Capacity	Secondary Option	Secondary Option	Piping Release Detection	Over	Spill	
Closure Status	Closure Date	Compartment		Piping Type		Mnfd	EG	
1	1/1/1965	Diesel	Asphalt Coated or Bare Steel	Galvanized Steel	R	No	No	No
Permanently Out Of Use		4,000	None	None	R	No	No	
Tank closed in place				Not Listed		No	No	
2	1/1/1965	Diesel	Asphalt Coated or Bare Steel	Galvanized Steel	R	No	No	No
Permanently Out of Use		4,000	None	None	R	No	No	
Tank closed in place				Not Listed		No	No	
3	1/1/1965	Gasoline	Asphalt Coated or Bare Steel	Galvanized Steel	R	No	No	No
Permanently Out Of Use		4,000	None	None	R	No	No	
Tank closed in place				Not Listed		No	No	
4	1/1/1965	Gasoline	Asphalt Coated or Bare Steel	Galvanized Steel	R	No	No	No
Permanently Out of Use		4,000	None	None	R	No	No	
Tank closed in place				Not Listed		No	No	
5	1/1/1965	Gasoline	Asphalt Coated or Bare Steel	Galvanized Steel	R	No	No	No
Permanently Out of Use		4,000	None	None	R	No	No	
Tank closed in place				Not Listed		No	No	
<b>Total Tanks: 5</b>						No	No	

### Tank/Piping Release Detection Codes

<b>A</b> Manual Tank Gauging	<b>B</b> Tank Tightness Testing	<b>C</b> Inventory Control	<b>D</b> ATG/Auto Line LD	<b>E</b> ATG 0.2 GPH Test	<b>F</b> Safe Suction
<b>G</b> Gravity Feed	<b>H</b> Elect ALLD Testing 0.2 GPH	<b>I</b> Line Tightness Annual	<b>J</b> Line Tightness Every 2 Yrs.	<b>K</b> Vapor monitoring	<b>L</b> Groundwater monitoring
<b>M</b> Inventory SIR	<b>N</b> Interstit. Dbl-wall Monitor	<b>O</b> Interstit. Sec. Con. Monitor	<b>P</b> Other method	<b>Q</b> Deferred	<b>R</b> Not listed
<b>N/A</b> Heating Oil/Emergency Generator					

### Tank/Piping Codes

<b>CP</b> Corrosion Protection Met	<b>Over</b> Overfill Protected	<b>Mnfd</b> Manifold	<b>FR</b> Financial Responsibility Met
<b>RD</b> Release Detection Met	<b>Spill</b> Spill Protected	<b>EG</b> Emergency Power Generation	

Report Generation Date: 2/11/2006

## Facility Summary for Facility ID #14303

**Owner Name and Address:** Herman N. Thomas  
606 Robin Hood Road Havre De Grace, MD 21078

**Owner Type:** Not Listed

Facility ID	County	Location Name	Location Street Address	Location City	Zip
14303	Harford	MCK Trucking Co.	963 Pulaski Highway	Havre De Grace	21078

Tank ID	Date Installed	Product	Tank Mat'l of Construction	Piping Material	Tank Release Detection	CP	RD	FR
Status	Age (yr)	Capacity	Secondary Option	Secondary Option	Piping Release Detection	Over	Spill	
Closure Status	Closure Date	Compartment		Piping Type		Mnfd	EG	
1	1/1/1965	Diesel	Asphalt Coated or Bare Steel	Galvanized Steel	R	No	No	No
Permanently Out Of Use		4,000	None	None	R	No	No	
Tank closed in place				Not Listed		No	No	
2	1/1/1965	Diesel	Asphalt Coated or Bare Steel	Galvanized Steel	R	No	No	No
Permanently Out of Use		4,000	None	None	R	No	No	
Tank closed in place				Not Listed		No	No	
3	1/1/1965	Gasoline	Asphalt Coated or Bare Steel	Galvanized Steel	R	No	No	No
Permanently Out Of Use		4,000	None	None	R	No	No	
Tank closed in place				Not Listed		No	No	
4	1/1/1965	Gasoline	Asphalt Coated or Bare Steel	Galvanized Steel	R	No	No	No
Permanently Out of Use		4,000	None	None	R	No	No	
				Not Listed		No	No	
5	1/1/1965	Gasoline	Asphalt Coated or Bare Steel	Galvanized Steel	R	No	No	No
Permanently Out of Use		4,000	None	None	R	No	No	
Tank closed in place				Not Listed		No	No	

**Total Tanks: 5**

**Tank/Piping Release Detection Codes**

<b>A</b> Manual Tank Gauging	<b>B</b> Tank Tightness Testing	<b>C</b> Inventory Control	<b>D</b> ATG/Auto Line LD	<b>E</b> ATG 0.2 GPH Test	<b>F</b> Safe Suction
<b>G</b> Gravity Feed	<b>H</b> Elect ALLD Testing 0.2 GPH	<b>I</b> Line Tightness Annual	<b>J</b> Line Tightness Every 2 Yrs.	<b>K</b> Vapor monitoring	<b>L</b> Groundwater monitoring
<b>M</b> Inventory SIR	<b>N</b> Interstit. Dbl-wall Monitor	<b>O</b> Interstit. Sec. Con. Monitor	<b>P</b> Other method	<b>Q</b> Deferred	<b>R</b> Not listed

**N/A** Heating Oil/Emergency Generator

**Tank/Piping Codes**

<b>CP</b> Corrosion Protection Met	<b>Over</b> Overfill Protected	<b>Mnfd</b> Manifold	<b>FR</b> Financial Responsibility Met
<b>RD</b> Release Detection Met	<b>Spill</b> Spill Protected	<b>EG</b> Emergency Power Generation	

Report Generation Date: 2/11/2009

MARYLAND DEPARTMENT OF THE ENVIRONMENT

1800 Washington Boulevard, Suite 620 • Baltimore Maryland 21230-1719  
(410) 537-3442 • 1-800-633-6101 • http:// www. mde. state. md. us

WASTE MANAGEMENT ADMINISTRATION

Oil Control Program  
Report of Observations

Case # \_\_\_\_\_

Type of Inspection/Observations: Spill Investigation Date: 13-31-06

Site/Facility Name: Lenny's Paving (Lease) Facility ID # \_\_\_\_\_

Location: 963 Pulaski Hwy Havre De Grace Page # 1 of 1

Remarks:

I visited the above referenced location after being notified by Harford County concerning a release of diesel fuel from an above ground storage tank. Soil has been excavated & stockpiled on site. Two distinct stained areas remain on the property. The stockpiled soil has not been placed on plastic. I have been in contact with Ms. Lynn Burke concerning clean up efforts & disposal. (410-273-9906)

According to employees on the property, diesel fuel was released from the above ground storage tank while attempting to move the tank. The 500 gallon AST is UL listed for below ground use. A skid tank is now in use to store & dispense diesel fuel. The UL listed below ground tank remains on the property.

Soil disposal is scheduled for Monday.

Requirements -

1. ~~Submit~~ Submit a tank disposal receipt if the UL listed belowground tank is removed from the property.
2. Submit soil disposal receipts (to the address above or by fax 4105373092) within 30 days.
3. Excavate and properly dispose of oil-contaminated soil.
4. Until disposal; place oil contaminated soil on plastic and cover with plastic and implement measures to ensure migration of oil contamination does not occur.

5. Notify this Administration (866-633-4686) within two hours of detection of an oil release

Observer: \_\_\_\_\_ Person Interviewed: Faxed to Lynn Burke

@ 410 2736075

Jackie Ryan

4105374153

MARYLAND DEPARTMENT OF THE ENVIRONMENT  
1800 Washington Boulevard, Suite 620 • Baltimore Maryland 21230-1719  
(410) 537-3442 • 1-800-633-6101 • http:// www. mde. state. md. us

WASTE MANAGEMENT ADMINISTRATION  
Oil control Program  
Contaminated Soil Removal

Site Name: Lenny's Paving Case # \_\_\_\_\_  
Address: 963 Pulaski Hwy Havre De Grace Date: 3-31-06  
Soil Destination: Clean Earth Facility ID # \_\_\_\_\_  
Company Name \_\_\_\_\_  Open /  Close /  Initial /  Follow-Up  
Address \_\_\_\_\_

Transport Company: Lenny's Paving  
Contaminated soil is a result of:  Leaking UST/Piping  Leaking AST/Piping  Other: \_\_\_\_\_  
Additional comments: \_\_\_\_\_

Quantity Removed: ~ 3 tons  
Type of Contamination:  Gasoline\*  Diesel\*  #2 Oil\*  Heavy Heating Oil\*  Clean Lube\*  
 Other,specify: \_\_\_\_\_

Field Readings: 225 meter units  
Lab Analysis (Method): \_\_\_\_\_

Actions required by this Administration: Submit disposal receipts:

\* Oil, other than waste oil, oil refuse, or oil mixed with waste, was discharged at this site. This determination is based on evidence presented to the inspector on-site at the time of the inspection. This statement is not a certification by the Department of the Environment or the undersigned inspector(s).

Jackie Ryan Inspector's Name (Printed) [Signature] Inspector's Signature  
\_\_\_\_\_  
Contact Person's Name (printed) Contact Person's Signature Contact Person's Telephone No.  
\_\_\_\_\_  
Contractor's Name (printed) Contractor's signature Contractor's Telephone No.





William Donald Schaefer  
Governor

STATE OF MARYLAND  
Department of the Environment

2500 BROENING HIGHWAY BALTIMORE, MARYLAND 21224

(301) 631-

INVOICE NO. 11261



Robert Perciasepe  
Secretary

INVOICE

.01  
39.01.00 PROJECT 3728 FUND 03

DATE July 1, 1991

SOURCE CODE .02.61.13

3-007350

Herman N. Thomas  
NAME

606 Robin Hood Rd.  
STREET ADDRESS

AMOUNT DUE: \$1000.00

Havre de Grace, MD 21078  
CITY STATE ZIP

AMOUNT PAID: \_\_\_\_\_

DUE DATE: August 1, 1991

TANKS FILLED WITH SAND, DEC. 1986 & Jan. 1987

YOU MUST RETURN THIS PORTION WITH CHECK

.01  
39.01.00 PROJECT 3728 FUND 03  
SOURCE CODE .02.61.13

REF NO: 3-007350

DESCRIPTION/COMMENTS 2 Diesel Tanks, 3 Gasoline Tanks at MCK Trucking Co.,  
963 Pulaski Hgwy., Havre de Grace, MD 21078

MAKE CHECK PAYABLE TO: MD UST Upgrade & Replacement Fund

PLEASE PRINT YOUR INVOICE NUMBER ON YOUR CHECK AND RETURN TO:

**DEPARTMENT OF THE ENVIRONMENT  
FISCAL SERVICES DIVISION  
CASH RECEIPTS UNIT  
2500 BROENING HIGHWAY  
BALTIMORE, MARYLAND 21224**

RETAIN THIS PORTION FOR YOUR RECORDS


INVOICE NO. 11261

MDE 218



RECYCLED PAPER

INVOICE NO. 11261



William Donald Schaefer  
Governor

STATE OF MARYLAND  
Department of the Environment

2500 BROENING HIGHWAY BALTIMORE, MARYLAND 21224

(301) 631-



Robert Perciasepe  
Secretary

INVOICE

.01  
39.01.00 PROJECT 3728 FUND 03

DATE July 1, 1991

SOURCE CODE 02.61.13

3-007350

Herman N. Thomas  
NAME

AMOUNT DUE: \$1000.00

606 Robin Hood Rd.  
STREET ADDRESS

AMOUNT PAID: \_\_\_\_\_

Havre de Grace, MD 21078  
CITY STATE ZIP

DUE DATE: August 1, 1991

YOU MUST RETURN THIS PORTION WITH CHECK

.01  
39.01.00 PROJECT 3728 FUND 03  
SOURCE CODE .02.61.13

REF NO: 3-007350

DESCRIPTION/COMMENTS 2 Diesel Tanks, 3 Gasoline Tanks at MCK Trucking Co.,  
963 Pulaski Hgwy., Havre de Grace, MD 21078

MAKE CHECK PAYABLE TO: MD UST Upgrade & Replacement Fund

PLEASE PRINT YOUR INVOICE NUMBER ON YOUR CHECK AND RETURN TO:  
**DEPARTMENT OF THE ENVIRONMENT  
FISCAL SERVICES DIVISION  
CASH RECEIPTS UNIT  
2500 BROENING HIGHWAY  
BALTIMORE, MARYLAND 21224**

RETAIN THIS PORTION FOR YOUR RECORDS

INVOICE NO. 11261

# SUPERVISOR CLOSURE REVIEW

Case No. 2006-0927HA Date: 2/19/09

Release detected? Yes  No

Comment: AG Diesel release from AST. Appears to have been a minimal amount impacting soils

FEDERAL (UST Motor/Lube/Bulk)	Code	STATE (UST Heating Oil/All AST)	Code	
Color Coding	C10	Aboveground Tank Leak	A5a/A5b	<input checked="" type="checkbox"/>
Compliance Inspections	C11	Dumping	A4/A4e	
Ground Seep Investigation	B6	Open Water	A1/A1a,b,e	
Inventory	C5	Permit Inspections	A6	
New Installation	C1	New Installation	C2a/C2b	
Overfill Protection	C10	Transfer Accident	A3/A3a,b,e	
Registration	C4	Registration	C4a/C4b	
Release Detection	C9	Vehicle Accident	A2/A2e	
Retrofit/Repair	C7	Retrofit/Repair	C8a/C8b	
Soil Contamination	B7	Soil Contamination	B7a/B7b	
Surface Spill Originating from UST	B11	Surface Spill Originating from UST	B11a/B11b	
Tank Removal/Abandonment	B8	Tank Removal/Abandonment	B9a/B9b	
Tank Test Failure	B1	Tank Test Failure	B2a/B2b	
Tank Truck Driver Attendance	C6	Tank Truck Driver Attendance	C6a/C6b	
Vapor Problem	B5	Vapor Problem	B5a/B5b	
Well/Groundwater Contamination	B3	Well/Groundwater Contamination	B4a/B4b	
Cathodic Protection	C13	Unknown Source/Surface Spill	A7	
Compliance Testing	C14	Other	B10a/B10b	
Third Party Inspection Field Review	C16	Other	A8	<input checked="" type="checkbox"/>
Other	B10	Other - Emergency	A8e	
		Cathodic Protection - Commercial Heating Oil	C13b	
		Compliance Testing - Heating Oil	C14a	

a = Residential Heating Oil      b - Commercial Heating Oil      e = Emergency

Agree to close? Yes  No

Residual petroleum contamination may remain on site. However, based on available data, it appears this contamination poses no threat to human health or the environment.

- Inspector's findings complete
- Site poses no risk
- Other

Reference/Support: Approximately 3 tons of OCS were excavated. On 2/2/09 the OCS were not on site and the business is permanently closed.

Signature: Rosa Kelly Date: 2/19/09  
No water supply well on site.





2/2/09  
JFR  
06-0927HA

A small soil pile, possibly the contaminated soil stockpiled after the AST leak. No odor or staining was noted in the soil.





2/2/09

JFR

06-0927HA

Rear view of the facility showing that Lennys  
Paving is closed. Also note that the AST is no longer  
on site.